


HH – Profiles & Components for Cabinet & Locker

Quality materials, superior craftsmanship and modern, contemporary designs that create today's intelligent storage innovations. Precision engineering hardware featuring our proprietary HH-Profiles and HB-hinges that ensure long-term reliability.



- / Proprietary Design
- / Aesthetic
- / Strong & Durable
- / Modular & Flexible
- / Water Resistance
- / Bespoke
- / Easy to Assemble
- / Chemical Resistant



HH-Omega Compact Grade Water Resistance Cabinets

Proprietary design HH-Omega Compact Grade Water Resistance Cabinets are made from compact grade panel (phenolic) and our proprietary HH-Profiles extruded from high quality aluminium. Hardware including proprietary HB-Hinges, shelves, door handles, drawer slides etc.



Standard Construction

Cabinet body to be made from 8mm and 12mm thick compact grade panel (phenolic) in standard white colour. All exposed doors shall be made from 12mm thick compact grade panel (phenolic) in selected colour. Cabinet structure to be constructed by proprietary HH-Profiles extruded from high quality aluminium. Hardware including proprietary HB-Hinges, door handles, drawer slides etc. Fitted with additional aluminium L-channels for extra heavy-duty usage if necessary. Standard 12mm thick premium compact grade panel (phenolic) worktop panel. Optional 18mm thick added on for extra stability and durability. Optional cabinet worktop could be fitted from solid surfacing material, porcelain panel and some other materials by others. Please consult our technical advisors for further information. Available of German-made NORMBAU furniture fittings on request


NORMBAU



HH-Omega Compact Grade Water Resistance Lockers

Proprietary design HH-Omega Compact Grade Water Resistance Lockers are made from compact grade panel (phenolic) and our proprietary HH-Profiles extruded from high quality aluminium. Hardware including proprietary HB-Hinges, various types of locker locks, shelves, hanger rods etc.

Configuration/



Dimensions/

Standard Size for each tier:
300mmW x 500mmD x 1800mmH for all configurations;
Except 200/400mmW x 500mmD x 1800mmH for Z(2)-tier
Other dimensions are possible upon request

Construction/ Colour/

Doors, vertical/ horizontal dividers and back walls are made from compact grade panel (phenolic)
Doors: 12mm selected colour
Horizontal dividers: 12mm standard white colour
Vertical dividers: 4mm/8mm standard white colour
Back walls: 4mm/8mm standard white colour

Locking/

Cylindrical dead lock
Coin return lock with master key system
Coin retain lock
Padlock bracket for padlock
Mechanical numeric lock
Keyless electronic lock





SHINE UNION LIMITED

Tel: (852) 6324 9771

Email: tomson.chan@shineunion.com.hk

www.shineunion.com.hk